

Fig.1.




Fig.2.




Fig.3.




Fig.4.

Process for Customer Type 1 is:

Acquire appropriate job information

Book visit time and address, allocate engineer

Acquire customers mobile contact number

Wait for visit time

Verify appointment with customer Phone number=12345678

Process for Customer Type 2 is:

Acquire appropriate job information

Book visit time and address, allocate engineer

Supply code word to customer

Wait for visit time

Verify code word with customer

Fig.5.

500

505		Corporate	SME	Individual
niche	dispose	Servicing	Replace	C enabled
	value	C enabled	Open Testing	
mass	dispose	3rd Party	Replace	C enabled
	value	Servicing		

Fig.7.

500

505		Corporate	SME	Individual
niche	dispose	Servicing	Replace	C enabled
	value			
mass	dispose			
	value			

Fig.6.




Fig.8.

500


505		Corporate	SME	Individual
niche	dispose	Replace		
	value	Open Testing		
mass	dispose	Replace		
	value	Servicing		

Fig.9.

500

505		Corporate	SME	Individual
niche	dispose	Servicing	Replace	C enabled
	value	C enabled	Open Testing	
mass	dispose	Servicing	Replace	C enabled
	value	Servicing		

Fig.10.






Fig.12.




Fig.12 (Cont).




Figure 13: an iterative mechanism that composes processes.




Figure 14: composition of aspects and user defined structures

11/11




Figure 15: An aspect weaver with an open instruction/action set.